

**BULLETINS ISSUED BY THE AGRICULTURAL RESEARCH
INSTITUTE, PUSA—concl'd.**

- No. 36 Note on the M'Fadyean Staining reaction for Anthrax bacilli, by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 4 or 5d.
- No. 37. Notes on Experiments with Sugarcane at Sabour, by C. SOMERS-TAYLOR, B.A. Price, As. 2 or 3d.
- No. 38. Disintegration of Rice Grains by means of Alkali, by F. J. WARTH, M.Sc.; and Dr. B. DARABBETT, B.Sc. Price, As. 6 or 7d.
- No. 39. Instructions for rearing Mulberry Silkworms, by M. N. DE. Price, As. 4 or 5d.
- No. 40. Green Manuring Experiment, 1912-13, by C. M. HUTCHINSON, B.A.; and S. MILLIGAN, M.A., B.Sc. Price, As. 4 or 5d.
- No. 41. The use of Sweet Jowar (*Sorghum sp.*) as a source of commercial Sugar or as Fodder and the variation in Composition of the crop during growth, by H. E. ANNETT, B.Sc., F.I.C. Price, As. 2 or 3d.
- No. 42. Notes on Cane Crushing in the United Provinces, by G. CLARKE, F.I.C.; NAIB HUSAIN and S. C. BANERJEE, assisted by LAKSHMI SHANKAR. Price, As. 2 or 3d.
- No. 43. A note on the effect of Heat on the Rinderpest Immune Bodies, by Major J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, As. 2 or 3d.
- No. 44. How to Improve Silk-Reeling in Bengal, by M. N. DE. Price, As. 4 or 5d.
- No. 45. The Acid Secretion of the Gram Plant, *Cicer arietinum*, by D. L. SAHASRABUDDHE, B.Sc., L.A.G. Price, As. 2 or 3d.
- No. 46. Bee-Keeping, by C. C. GHOSH, B.A. (*In the press.*)
- No. 47. Notes on Sugar Machinery and Manufacture in Northern India, by PETER ABEL. Price, As. 5 or 6d.
- No. 48. First Report on the Experiments carried out at Pusa to improve the Mulberry Silk Industry, compiled under the direction of the Imperial Entomologist by M. N. DE. (*In the press.*)
- No. 49. The Experimental Error in Field trials with Sugarcane and the effect on this error of various methods of Sampling, by H. E. ANNETT, B.Sc., F.I.C. (*In the press.*)
- No. 50. The Improvement of Tobacco Cultivation in Bihar, by A. HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 5d.
- No. 51. First Report on the Improvement of Indigo in Bihar by A. HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. (*In the press.*)
- No. 52. Soil Ventilation by A. HOWARD, C.I.E., M.A., and GABRIELLE L. C. HOWARD, M.A. (*In the press.*)
- No. 53. Soil Erosion and Surface Drainage by A. HOWARD, C.I.E., M.A. (*In the press*)
- No. 54. Second Report on the Improvement of Indigo in Bihar by A. HOWARD, C.I.E., M.A., and GABRIELLE L. C. HOWARD, M.A. (*In the press.*)

BOOKS.

- " Indian Insect Pests," by H. M. LEFRROY, M.A., F.R.S., F.Z.S. Price, Re. 1.8. (*Out of print.*)
- " Indian Insect Life," by H. M. LEFRROY, M.A., F.R.S., F.Z.S.; and F. M. HOWLETT, B.A. 786 pp. Price, Rs. 20 or 30s.
- " Wheat in India," by A. HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. 288 pp. Price, Rs. 5 or 7s. 6d.
- " A description of the Imperial Bacteriological Laboratory, Muktasar : Its Work and Products," by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 8 or 9d.

August 1915.

BACTERIOLOGICAL SERIES.

VOL. I, No. 4.

MEMOIRS OF THE
DEPARTMENT OF AGRICULTURE
IN INDIA

AZOTOBACTER AND NITROGEN FIXATION IN
INDIAN SOILS

BY

J. H. WALTON, B.A., B.Sc

Supernumerary Agricultural Bacteriologist, Pusa



AGRICULTURAL RESEARCH INSTITUTE, PUSA

PRINTED AND PUBLISHED FOR
THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA

BY

THACKER, SPINK & CO., CALCUTTA
W. THACKER & CO., 2, CREED LANE, LONDON

Agents for the Sale of Government Publications.

IN THE UNITED KINGDOM.

- Constable & Co., 10, Orange Street, Leicester Square, London, W.C.
Kegan Paul, Trench Trübner & Co., 68-74, Carter Lane, E.C., and 25, Museum Street, London, W.C.
Bernard Quaritch, 11, Grafton Street, New Bond Street, London, W.
P. S. King & Son, 2 and 4, Great Smith Street, Westminster, London, S.W.
H. S. King & Co., 65, Cornhill, and 9, Pall Mall, London.
Grindlay & Co., 54, Parliament Street, London, S.W.
- T. Fisher Unwin, Ld., 1, Adelphi Terrace, London, W.C.
W. Thacker & Co., 2, Creed Lane, London, E.C.
Luzac & Co., 46, Great Russell Street, London, W.C.
B. H. Blackwell, 50 and 51, Broad Street, Oxford.
Deighton, Bell & Co., Ld., Cambridge.
Oliver & Boyd, Tweeddale Court, Edinburgh.
E. Ponsonby Ld., 116, Grafton Street, Dublin.

ON THE CONTINENT.

Ernest Leroux, 28, Rue Bonaparte, Paris. | Martinus Nijhoff, The Hague, Holland.

IN INDIA AND CEYLON.

- Thacker, Spink & Co.**, Calcutta and Simla.
Newman & Co., Calcutta.
R. Cambray & Co., Calcutta.
S. K. Lahiri & Co., Calcutta.
B. Bannerjee & Co., Calcutta.
The Calcutta School Book and Useful Literature Society, 309, Bow Bazar Street, Calcutta.
Butterworth & Co. (India), Limited, Calcutta.
The Weldon Library, 18-5, Chowringhee Road, Calcutta.
Rai M. C. Sircar, Bahadur & Sons, 75-1-1, Harrison Rond, Calcutta.
Higginbothams Ld., Madras.
V. Kalyanarama Iyer & Co., Madras.
G. A. Natesan & Co., Madras.
S. Murthy & Co., Madras.
Thompson & Co., Madras.
Temple & Co., Madras.
- Combridge & Co., Madras.
P. R. Rama Iyer & Co., Madras.
Thacker & Co., Ld., Bombay.
A. J. Combridge & Co., Bombay.
D. B. Taraporevala, Sons & Co., Bombay.
Radhabai Atmarani Sagoon, Bombay.
Sunder Pandurang, Bombay.
Gopal Narayan & Co., Bombay.
Ramchandra Govind & Son, Kalbadevi, Bombay.
N. B. Mathur, Superintendent, Nazir Kanun-i-Hind Press, Allahabad.
A. Chand & Co., Lahore, Punjab.
Rai Sahib M. Gulab Singh & Sons, Mufti-i-Am Press, Lahore and Calcutta.
Superintendent, American Baptist Mission Press, Kangoon.
S. C. Talukdar, Proprietor, Students and Company, Cooch Behar.
A. M. & J. Ferguson, Colombo, Ceylon.

PREFACE.

THIS memoir is an account of some preliminary observations on the problem of nitrogen fixation in Indian soils.

More detailed investigations are now being carried out, with special reference to the possibility of increasing the amount of nitrogen fixation in the soil by methods applicable in agricultural practice.

PrSA,

J. H. WALTON.

February 10th, 1915.

INTRODUCTION.

THE enormous area of cultivated soil in India which is never likely to receive any addition of nitrogenous manures but is yet the only source of nourishment and livelihood of millions of cultivators, makes the nitrogen problem in this country of paramount importance from the point of view of the transference of this element from the air to the soil by various natural agencies. The importance of leguminous crops in this respect cannot be overestimated, but in actual practice the fact remains that enormous quantities of nitrogen are annually going out of the country in the form of agricultural exports, whereas the amount actually added to the soil by the cultivation of *Leguminosae* cannot be considered sufficient to replace this loss, nor is there any importation of artificial nitrogenous manures in quantities worthy of consideration. Another source of soil nitrogen remains, namely, the non-symbiotic organisms such as *Clostridium* and *Azotobacter* which, so far as our knowledge at present carries us, are largely responsible for the present state of fertility of soils all over the world.

Clostridium works under semi-anaerobic conditions and it is probable that the nitrogen obtained from the air by this organism does not add any considerable quantity to the soil supply.

Azotobacter, however, has been shown to exist and perform its valuable work in cultivated soils all over the world, and although we have at present insufficient data upon which to base any accurate conclusions as to the actual quantities of nitrogen obtained from the air and added to the soil supply by this organism, there is good reason for supposing that it is sufficiently large to support a considerable growth of natural vegetation continuously. This result is no doubt due to the continuous nature of the action of this organism which, as the author of the following paper shows, goes on in India at all times of the year, so that although the actual rate of fixation is small the annual increment may be considerable.

The optimum conditions for growth and nitrogen fixation by *Azotobacter* are obviously of importance to the agriculturist, and the object of the work, the preliminary stages of which are described in this paper,

INTRODUCTION

was to ascertain whether *Azotobacter* is of universal occurrence in Indian soils, to determine the optimum conditions for the exercise of its specific function, and how far agricultural practice might be modified so as to take advantage of its nitrogen-fixing power.

C. M. HUTCHINSON,
Imperial Agricultural Bacteriologist.

AZOTOBACTER AND NITROGEN FIXATION IN INDIAN SOILS.

BY

J. H. WALTON, B.A., B.Sc.,

Supernumerary Agricultural Bacteriologist, Pusa.

AZOTOBACTER IN INDIAN SOILS.

The results of many investigations carried out in Europe and America show that the micro-organism 'Azotobacter' is able to assimilate the free nitrogen of the air, and thus indirectly make it available for the higher plants.

In order to determine whether this organism is present and similarly active in the soils of India, investigations were started at Pusa in 1913.

The method adopted was that used by Ashby (*Journal of Agricultural Science*, Vol. II, p. 38).

A nutrient solution was made of the composition :—

Mannite	12 or 20 gms.
Monopotassium phosphate	0·2 gm.
Magnesium sulphate crystal	0·2 „
Sodium chloride	0·2 „
Calcium sulphate	0·1 „
Distilled water	1000 c.c.

The phosphate was dissolved separately, and made just alkaline to phenol phthalein by the addition of decinormal sodium hydrate. 100 c.c. of the solution with half a gram of calcium carbonate was put into each of ten Erlenmeyer flasks of 250 c.c. capacity and sterilized at 130°C. for fifteen minutes.

One gram of Pusa field soil was added to a flask of the medium, which was then placed in the incubator at 30°C.

At the end of two days numerous gas bubbles were visible in the medium, and at the end of three or four days the surface of the medium was covered with a thin greyish wrinkled film. The film gradually thickened and turned

brownish. In some cases black spots appeared on the brown film, which itself occasionally turned quite black. Usually the film turned a deep brown colour, and was then easily detached from the wall of the flask and broken up by slight agitation.

Duplicate flasks, one exposed to light, the other kept in the dark, showed that the pigment developed more rapidly in the light. On continued exposure to light, a green algal growth gradually covered the broken masses of the film and the wall of the flask below the level of the solution.

An examination of the young film showed it to consist of oval organisms, and cocci, single or united in pairs, mixed with various rod-shaped organisms, hyphae of fungi, etc. (Pl. I, fig. 1.).

The oval organisms and cocci were $1\cdot5\mu - 2\mu$ in diameter, and were actively motile, they stained golden yellow to golden brown with iodine, and generally resembled *Azotobacter*.

A set of three flasks of the medium was taken, 1 gm. soil as inoculum added to each, one flask sterilized and the other two incubated at 30°C for twenty days, at the end of which the nitrogen in the three flasks was estimated by the Kjeldahl-Gunning method. It was found that the duplicate flasks contained 13.16 and 12.46 mgms., or a mean of 12.8 mgms. of nitrogen more than the control. As the flasks contained 2 gms. mannite each, this gives a fixation of nitrogen of 6.4 mgms. per gram of mannite. The ability to fix nitrogen being shown, the medium was varied in order to find, if possible, one more favourable for nitrogen fixation. The length of the incubation period was also varied, to find the best period.

To find the best length of time for incubation, three sets of duplicate flasks were inoculated and incubated for 7, 10 and 14 days respectively.

Length of incubation period.	Amount of Nitrogen fixed. Mgms.
7 days	6.72
10 ,,	14.90
14 ,,	14.60

No mannite was found in the culture medium after fourteen days' incubation.

Ten to fourteen days therefore appears to be the best length of incubation period. The period adopted for all subsequent estimations of nitrogen fixation in impure cultures was fourteen days.

A comparison was made at the same time between the nutrient solution of Ashby and those recommended by Bottomley (*Ann. Bot.*, XXVI, p. 875).

Compared with the amount of 14·6 mgms. obtained after fourteen days with Ashby's solution, these gave only 7·84 mgms. and 10·5 mgms. respectively.

Effect of varying the amount of mannite in the solution.

Three lots of nutrient solution were made up, containing 10, 12 and 20 grams mannite per litre respectively. Duplicate flasks from all three were inoculated with soil, incubated for 14 days, and the amount of nitrogen estimated.

Medium	Mgms. Nitrogen fixed per gm. mannite in solution
(i) With 10 gms. mannite per litre	8·4
(ii) 12	7·2
(iii) 20	7·0

The solution containing 10 gms. mannite per litre therefore is most economical under the conditions of the experiment, as a higher fixation of nitrogen per gm. mannite is obtained with it than with the other two solutions.

For later work, ten grams of mannite per litre was always taken in making up the nutrient medium.

Variations in the inorganic constituents of the medium.

(a) Omission of NaCl and (b) substitution of dipotassium phosphate for monopotassium phosphate.

		Mgms. Nitrogen fixed	
		1st set	2nd set
Ordinary medium ..		9·73	9·24
Medium (a) ..		8·96	9·03
Medium (b) ..		9·17	8·89

Hence these two variations interfere slightly with the efficiency of the medium.

(c) Addition of basic slag.

$\frac{1}{2}$ gm. basic slag was added, in addition to the other constituents.

In medium without slag 9·59 mgms. nitrogen were fixed.

" " with " 9·52 " " " "

Basic slag is therefore without influence on the fixation of nitrogen in cultures inoculated with Pusa soil.

(d) Addition of ferric chloride.

The addition of a drop of ferric chloride solution, sufficient to give a faint yellow tinge to the medium, depressed the fixation of nitrogen.

		Mgms. Nitrogen fixed
Without ferric chloride	8.40
With ,, ,, 	6.16

(e) Magnesium carbonate.

Substitution of 0.25 gm. $MgCO_3$ for the 0.5 gm. $CaCO_3$, raised the fixation of nitrogen from 9 mgms. to 9.4 mgms. The addition of 0.25 gm. or 0.5 gm. $MgCO_3$, as well as the 0.5 gm. $CaCO_3$, was without influence.

Pusa soil itself contains over 30% of calcium carbonate, so the slight increase of nitrogen fixed in the first case may be due to the joint influence of the calcium carbonate in the soil and the magnesium carbonate added, but the effect is in any case very small.

(f) Addition of ammonium sulphate.

Medium with the addition of ammonium sulphate sufficient to add 4 mgms. of combined nitrogen per 100 c.c. medium was compared with the original medium.

		Mgms. Nitrogen fixed
Medium without $(NH_4)_2SO_4$	9.59
,, with $(NH_4)_2SO_4$	6.44

The addition of ammonium sulphate therefore decreases the amount of nitrogen fixed.

SEASONAL VARIATION IN NITROGEN FIXATION.

In November 1913 duplicate flasks with a control were inoculated with 1 gm. Pusa soil from plots which were kept free from weeds, the control sterilized, and the flasks incubated at 30°C. for 14 days, at the end of which the nitrogen was estimated.

This was done as far as possible every week for a year. The results, the mean values from the duplicate flasks, are given in Table I, the mean fixation in the month in Table II, and the figures in Table II shown graphically in Fig. 1.

TABLE I.

Date of inoculation	Mgms. N. fixed		Date of inoculation	Mgms. N. fixed	
November 7	7.53	May 1	7.84
" 14	7.11	" 8	8.89
" 21	8.40	" 15	8.19*
" 28	8.26	" 22	8.47
December 5	7.84			9.03
" 12	8.28	June 5	9.06
" 19	8.16	" 12	9.24
" 26	7.91	" 19
January 2	7.28		.. 26	9.29
" 9	8.40	July 3	8.68
" 16	6.93	" 10	10.01
" 23	7.07	" 17	9.52
" 30	7.14	" 24	8.12
February 6	7.49	" 31	9.03
" 13	9.59	August 7	8.75
" 20	9.03	" 14	8.40
" 27	9.73	" 21	8.72
March 6	" 31	9.38
" 13	8.19	September 11	8.30
" 20	9.24	" 18	9.74*
" 27	" 25	8.77
April 3	8.12	October 2	11.19
" 10	8.47	" 9	8.40*
" 17	8.82	" 16	7.17
" 24	7.81	" 23	6.93
			" 30	7.42
			November 7	7.21

* Only one flask.

TABLE II.

Month	Mean fixation	Month	Mean fixation		
November 1013	7.82	May 1014	8.48
December "	8.05	June "	9.40
January 1014	7.36	July "	9.07
February "	8.96	August "	8.81
March "	8.72	September "	8.94
April "	8.30	October "	8.22

It may be seen from Fig. 1, that nitrogen fixation is at its lowest in the months October to January, and at its maximum in June to September.




Fig. 1.

Low fixation coincides with the drying of the soil and lowering of the temperature on the arrival of the cold weather. The abundant, but not excessive, moisture and the fairly high temperature of the rainy season at Pusa are accompanied with high fixation of nitrogen.

Influence of temperature of incubation on nitrogen fixation in the liquid medium.

In December 1913 three sets of duplicate flasks were incubated for 14 days at 20°C., 30°C. and 37°C. respectively.

At 37°C. the film developed very badly, and was very thin; at 20°C. the film developed rather more slowly than at 30°C.

Temperature	Mgms. Nitrogen fixed
20°	8.96
30°	7.84
37°	6.02

Further experiments were carried out throughout the year, comparing the nitrogen fixation at 20°C. and 30°C.

The results are given in Table III.

TABLE III.

Date of inoculation		Temper-	Mgms. N. fixed	Date of inoculation		Temper-	Mgms. N. fixed
December	.. 19	20°	3.78	June	.. 26	20°	8.68
		30°	8.16			30°	9.29
January	.. 2	20°	6.86	July	.. 10	20°	9.10
		30°	7.28			30°	10.01
April	.. 3	20°	8.47	" .. 17	" .. 24	20°	8.26
		30°	8.13			30°	9.52
" 17	20°	6.58			20°	6.86
		30°	8.82			30°	8.12
May	.. 1	20°	8.26	August .. 7	" .. 16	20°	7.77
		30°	7.84			30°	8.40
" 15	20°	7.84	October .. 16	" .. 7	20°	6.86
		30°	7.49			30°	7.17
" 29	20°	8.54	November .. 7	" .. 17	20°	7.40
		30°	9.03			30°	7.21
June	.. 12	20°	9.17			20°	—
		30°	9.24			30°	—

Thus in eleven cases nitrogen fixation is greater at 30°C. than at 20°C., and in the remaining six cases it is less at 30°C. than at 20°C. In general, therefore, it may be taken that 30°C. is a more favourable temperature of incubation than 20°C.

NITROGEN FIXATION IN SOIL.

Lots of 100 gms. Pusa soil with different amounts of carbohydrate added, and with the moisture content made up to 16%, were incubated at 30°C. for three weeks, and at the end of that time the nitrogen content was estimated.

			Mgms. N. per 100 gms. soil	Gain of nitrogen in mgms.
Soil original	44.1	—
" after incubation	46.6	2.5
" + 1 gm. dextrose, after incubation.	"	"	49.7	5.6
" + 2 gms. "	"	"	50.8	6.7
" + 1 gm. mannite	"	"	49.0	4.9
" + 2 gms. "	"	"	48.3	4.2

In November 1913, three plots were taken, and the nitrogen content of the soil in each to a depth of 6 inches was estimated.—

Plot I. 6'×6' was left untouched.

II. 6'×6' was cultivated weekly to a depth of six inches.

III. 6'×3' had 2 lbs. cane sugar mixed with the surface soil, and was cultivated in the same manner as plot II.

After ten weeks, the nitrogen was again estimated.—

	Plot	Mgns. of Nitrogen per 100 gms. of soil			Gain or loss (+ or -)		
		I	II	III			
	I	65.2	64.4	- 0.8
	II	63.8	66.5	+ 2.7
	III	71.4	81.9	+10.5

These experiments show that suitable carbohydrate food and thorough cultivation assist the soil bacteria in accumulating nitrogen.

DISTRIBUTION OF AZOTOBACTER.

Soil samples from many localities were examined for the presence of *Azotobacter*, which was found in those from Pusa, Cawnpore, Darjeeling, Sind, Bangalore, Bowringpet, Jalarpet, Ellore, Naupada, Tuni and Walajah Road.

At Pusa on two occasions soil samples were taken to a depth of three feet. In the one case *Azotobacter* was found at all depths to three feet, in the other it was found at two feet but not at three feet below the surface.

PURE CULTURE.

To obtain a pure culture of *Azotobacter* from an impure liquid culture, a portion of the film and liquid is removed by a platinum loop, diluted in 10 c.c. sterile water, and a loopful of the suspension plated in mannite agar. The mannite agar contains the same ingredients as the liquid medium, with the addition of 20 gms. agar per litre.

The plate is incubated at 30°C. In two or three days glistening, milky colonies of *Azotobacter* may be picked out. A slant is made from one of those which on microscopic examination appears to be pure; a good growth is usually obtained in 24 hours. Further plates are made from the slant and a pure culture may be obtained.

After having some experience, once plating from the first slant generally is sufficient to obtain a pure culture. It was found that a pure culture was most readily obtained when a loopful was taken from the impure culture

immediately before the appearance of the surface film. Microscopic examination of a stained preparation of the impure culture, before the appearance of the film, is of assistance in judging the best time to plate. When the film was more than seven days old, considerable difficulty was often experienced in obtaining a pure culture. Inoculating a fresh flask with the soil and using this new culture was found to save time and trouble.

NITROGEN FIXATION IN PURE CULTURE.

Duplicate flasks of mannite solution were inoculated with a pure culture of *Azotobacter* from Pusa soil and incubated for 23 days.

Another pair had a strip of filter paper cut into the shape shown in Fig. 2, and weighing 0·7 gm. suspended in each flask and dipping into the liquid.¹ These flasks and filter papers were sterilized, inoculated, and incubated for 23 days.




FIG. 2.

	Nitrogen fixed
Without filter paper	1·89 mgms.
With " "	6·44 "

The beneficial effect of the filter paper was very strongly marked. In the flasks without the filter paper little growth was observed, while in the flasks with filter paper abundant growth occurred on the filter paper just above the level of the liquid and in the liquid itself flocculent masses floated.

Effect of addition of humus.

Humus was extracted from Sepinjuri Bheel soil with dilute ammonia, precipitated with dilute acid, washed with water, and allowed to dry.

	Nitrogen fixed in 21 days
Solution with filter paper	5·6 mgms.
" " " + 2 gm. humus from Bheel soil	7·85 "
Increase due to addition of humus	2·25 "

Hence the addition of such humus is favourable to nitrogen fixation.

Substitution of MgCO₃ for CaCO₃.

	Nitrogen fixed in 21 days
Mannite solution + filter paper + CaCO ₃	6·72
+ 0·2 gm. MgCO ₃	5·74

¹ Söhngen, *Cent. für Bakter. Abt. II*, Vol. XXXVIII, p. 630. Söhngen however used 10 gms. filter paper.

Calcium carbonate is therefore superior to magnesium carbonate for promoting nitrogen fixation in pure culture.

It was noted that the brown pigment developed much earlier in the cultures containing $MgCO_3$ than in those with $CaCO_3$.

Addition of soil.

Two gms. of soil were added to some of the flasks of medium and the whole sterilized. The flasks were inoculated with *Azotobacter* and incubated for 22 days.

		Nitrogen fixed
Solution with filter paper	6.51 mgms.
" " "	+ 2 gm. soil ..	5.88 "
" " 2 gm. soil	6.30 "

The addition of soil was equivalent to the addition of the filter paper. The smaller amount of nitrogen fixed when both the filter paper and the soil were added is rather noteworthy, for the cultures remained pure.

Addition of nitrogenous compounds.

Amounts of various nitrogen compounds containing 4 mgms. of combined nitrogen were added to duplicate flasks of the medium containing filter paper; these were sterilized and inoculated with *Azotobacter*, and incubated for 21 days.

		Nitrogen fixed
Mannite solution + filter paper	5.60 mgms.
" " + " " + urea	4.97 "
" " + " " + ammon. sulphate	4.97 "
" " + " " + peptone	5.18 "
" " + " " + acetamide	7.07 "
" " + " " + asparagin	6.89 "
" " + " " + casein	6.02 "

The experiment was repeated with acetamide and asparagin, but the considerable increase in N. fixation obtained in the first experiment did not occur in the second.

		Nitrogen fixed
Mannite solution + filter paper	5.95 mgms.
" " + " " + acetamide	6.16 "
" " + " " + asparagin	5.88 "

The addition of these nitrogenous substances has therefore but a small influence on the fixation of nitrogen by *Azotobacter*.

Influence of basic slag.

The effect of the addition of 0·2 gm. basic slag to the medium, with and without filter paper, was examined.

	Mgms. N. fixed in 25 days
Mannite solution + filter paper	6·16
" " + " + 0·2 gm. basic slag ..	7·14
" " + 0·2 gm. basic slag ..	8·71

Basic slag therefore was decidedly beneficial.

A fresh culture of *Azotobacter* was isolated from Pusa garden soil and the basic slag was found in one case to have no influence on nitrogen fixation by this strain of *Azotobacter*, which fixed nitrogen freely without the aid of filter paper.

	Mgms. N. fixed in 3 weeks
Mannite solution only	6·86
" " + 0·5 gm. basic slag ..	6·86

This was repeated, using 0·2 and 0·5 gm. basic slag.

	Mgms. N. fixed in 3 weeks
Mannite solution only	7·07
+ 0·2 gm. basic slag	{ 5·32 } 4·97
+ 0·5 " "	{ 4·34 } 3·71

In this case the basic slag had an adverse influence on the nitrogen fixation.

Later, media with and without basic slag were inoculated with *Azotobacter*, from Sind soil, and incubated for three weeks, when the nitrogen content was determined.

	Nitrogen fixed
Medium without basic slag ..	6·12 mgms.
" with 0·2 gm. basic slag ..	8·05 ..

This shows that basic slag has a beneficial effect on nitrogen fixation by the Sind *Azotobacter*.

**NITROGEN FIXATION BY AZOTOBACTER SPECIES FROM
DIFFERENT LOCALITIES.**

Duplicate flasks containing the medium were inoculated with strains of *Azotobacter* isolated from soils from different places. The amount

of nitrogen fixed after three weeks' incubation is given in the table below :—

Locality	Mgms. N. fixed
Pusa ..	7.56 7.28 } 7.42
Cawnpore	{ 6.72 6.44 } 6.56
Bangalore	3.50 3.50 } 3.5
Darjeeling	4.34 2.94 } 3.64
Nagpur	.. { 6.04 — } 6.04
Sind { 6.16 6.16 } 6.16

As the culture of *Azotobacter* from Bangalore and Darjeeling fixed rather small amounts of nitrogen, a further series of flasks was inoculated three weeks after the first experiment, and further flasks were inoculated with the Nagpur variety two months after the first inoculation. The amount of nitrogen fixed is given below :—

Darjeeling	.. { 2.10 — } 2.10
Bangalore	.. { 2.80 2.38 } 2.59
Nagpur	.. { 5.04 4.40 } 4.72

These figures are smaller than the previous ones, showing that by repeated culture on agar slants these three varieties lose in nitrogen-fixing power. The Pusa variety maintains its nitrogen-fixing power without any diminution.

MORPHOLOGY, YOUNG CULTURES, 24 HOURS OLD.

Azotobacter, Pusa.

Rods $1.5\mu \times 2.5\mu$ to 4μ . The longer rods occasionally are constricted, an indication of the beginning of division. Also cocci 1μ to 2μ diameter, commonest 1.5μ to 2μ . Actively motile. (Pl. I, fig. 2.)

Azotobacter, Cawnpore.

Very like the Pusa variety. Rods $1.5\mu \times 2\mu$. Cocci mostly 1.5μ but varying from 1.25μ to 2μ . Actively motile. (Pl. I, fig. 9.)

Azotobacter, Darjeeling.

Mostly cocci 2μ — 3μ diameter. Also stout rods, $2\mu \times 2.5\mu$ — 3μ , and cocci less than 2μ in diameter. Motility. In the hanging drop a few individuals and diplococci may be seen moving sluggishly, and occasionally one may move vigorously. (Pl. II, fig. 1.)

Azotobacter, Bangalore.

The commonest forms are cocci 2μ in diameter, and diplococci.

Motility. In the hanging drop, a few individuals may be seen moving sluggishly. (Pl. II, fig. 3.)

Azotobacter, Nagpur.

Chiefly long rods $1.5\mu \times 3.75\mu$ — 5μ , which divide into oval individuals $1.5\mu \times 2\mu$ — 3μ . Sluggishly motile. (Pl. II, fig. 5.)

Azotobacter, Sind.

Oval rods $1.5\mu \times 2\mu$ — 2.5μ , also rods $1.5\mu \times 3\mu$ — 4μ , often with a constriction, the beginning of division. Actively motile. (Pl. II, fig. 8.)

In old cultures, all varieties take the coccus form. The size of individuals in the same culture varies considerably, as illustrated in Pl. I, fig. 4.

GROWTH IN VARIOUS MEDIA.

1. *Mannite Agar*.—Growth on mannite agar is rapid for all the varieties.

Pusa.—Growth grey and milky. The edges are watery. With age, it becomes more opaque and slightly brownish. On mannite agar plates the colonies are milky, translucent, with a margin watery or pale milky. (Pl. III, fig. 1.)

Cawnpore.—Very similar to *Pusa* variety, except that the margin is not watery, but milky, slightly less dense than the middle. Plate colonies, similar to *Pusa* except for margin. (Plate III, figs. 3 and 4.)

Bangalore.—Abundant watery growth. Plate colonies large, watery, 1— 1.5 cm. diameter. (Pl. III, fig. 2.)

Darjeeling.—Thick creamy white growth. Plate colonies have nucleus, more opaque than margin. (Pl. IV, figs. 1 and 2.)

Sind.—Growth transparent milky, later becoming translucent with centre and margin. Even milky growth on plate. (Pl. IV, fig. 3.)

Nagpur.—Creamy growth, colonies on plate large and thick, very quickly acquire the radial and concentric structure. (Pl. IV, fig. 4.)

2. *Ordinary Agar*.—Pusa, Cawnpore and Bangalore.—Growth very thin and tough.

Darjeeling and Nagpur.—Growth opaque, thick, drawing out into threads. Better growth in Darjeeling than Nagpur.

Sind.—Thin, translucent, tough, spreading more than any other variety, except Darjeeling.

3. *Bouillon*.—All varieties. The bouillon becomes turbid, and there is a small white precipitate which in ten to fourteen days becomes dark grey.

4. *Saccharose Bouillon*.—All varieties. In five days the bouillon becomes turbid and there is a white precipitate which turns to grey.

5. *Saccharose Agar Stab*.—All the varieties grew except Bangalore. The growth reached the walls of the test-tube in four days in the case of Sind, 10 days Nagpur, 14 days Pusa and Cawnpore. The Darjeeling growth was much less.

6. *Mannite Soil Extract*.¹—All varieties. A white precipitate was formed within six days; later this changes to grey and brown.

7. *Potato*.—Irregularity was observed in the growth of the several varieties. In the first inoculation the Bangalore variety produced a light yellowish brown growth in six days. This later turned to a dark brown. The inoculation was repeated. No growth occurred this time on the Bangalore variety, but the Cawnpore and Pusa varieties produced a yellow growth, which later turned chocolate colour. (Plate V.)

8. *Synthetic Potato*.—A white growth appeared in two days, and later became slightly brown. The growths of the several varieties differed slightly in consistency.

9. *Nitrate Broth*.—No visible growth, and no ammonia formation.

10. *Milk*.—Practically no change in three weeks, except that the colour of the milk became slightly browner.

11. *Litmus Milk*.—The blue colour became slightly deeper.

12. *Pigment Production*.—Practically all cultures turned brown with age. Black pigment occurred only in impure or contaminated cultures of the varieties examined.

STAINING.

Capsules.—Pl. I, fig. 5.

To demonstrate the presence of capsules, stain a smear from a colony three or four days old, grown on a mannite agar plate. Use carbol fuchsin or gentian violet.

¹ Aqueous extract of Soil + 2% mannite.

Flagella.—Pl. I, figs. 7 and 8.

To a watchglass containing about one c.c. of water and a drop of 2% osmic acid solution sufficient of a culture is added to make the liquid slightly turbid. A loopful of the liquid is spread over a coverslip and allowed to dry. The film on the coverslip is mordanted with Zettnow's mordant for 5—7 minutes; the mordant is allowed to cool, the coverslip is removed, washed in tap water, dried, covered with an ammoniacal solution of silver sulphate and warmed over a flame till the edges of the film blacken. The coverslip is washed in water, dried and mounted in Canada balsam. It is much more difficult to get a good preparation of *Azotobacter* than of most other motile organisms (such as *B. subtilis*).

Granules.—Pl. I, fig. 6 and Pl. II, figs. 2 and 7.

Azotobacter in young cultures about a day old stains evenly and deeply. From cultures four days old or more it shows deeply stained granules in a faintly stained or clear ground mass, with a fine meshlike structure. The best stains tried for demonstrating the presence of the granules and mesh are Jenner's, Leishmann's, and Giemsa's. Methylene blue is not quite so good. Carbol fuchsin stains deeply and the finer details are obscured.

In cultures 24 hours old, Jenner's stain often showed the presence of a single very deeply stained nucleus or granule. A fine thread may be seen joining a pair of cells that had just resulted from the division of a single cell. (Pl. II, fig. 8.)

Gram's Stain.

Cultures, twenty-four hours old or more, were examined, and the different varieties were always Gram positive.

CONCLUSION.

1. The nitrogen-fixing power of *Azotobacter* in cultures inoculated with Pusa soil compares very favourably with that observed by other investigators.¹
2. There is a well marked seasonal variation in the nitrogen fixation in cultures inoculated with soil.

¹ Söhngen, *Cent. für Bakt. Abt. II*, Vol. XXXVIII, p. 630.

Sackett, *ibid* Vol. XXXIV, p. 100.

Rosing, *ibid* Vol. XXXIII, p. 619.

Remy and Rosing *Cent. für Bakt. Abt. II*, Vol. XXX, p. 349.

Hoffmann and Hammer *Cent. für Bakt. Abt. II*, Vol. XXVIII, p. 127.

H. H. Green, and Greave, *Cent. für Bakt. Abt. II*, Vol. XLI, p. 577, and p. 444.

3. Pure cultures of *Azotobacter* isolated from different soils vary in nitrogen-fixing power and in morphological and cultural characters. These morphological and cultural characters are constant in any particular variety.

4. Black pigment occurred only in impure cultures.

5. Nitrogen fixation in soil is increased by cultivation and the addition of suitable carbohydrate material. We may conclude that proper soil management should include the provision of conditions favourable to the physiological activity of *Azotobacter*, namely aeration, the presence of lime,¹ and the presence of available carbohydrate food. The increased nitrogen fixation observed as resulting from the addition of humus, and the experimental demonstration by Koch² that cellulose may be acted on by micro-organisms in the soil so as to make it available as carbohydrate food for *Azotobacter*, emphasize the importance of such agricultural operations as tend to maintain the supply of organic matter in the soil.

PUSA,

February 10th, 1915.

¹ Christensen and Hansen, *Cent. für Bakt. Abt. II*, Vol. XXIX, p. 355; also Loew, "Studies on Acid Soils of Porto Rico," *Porto Rico Expt. Sta. Bull.* No. 13,

² *Cent. für Bakt. Abt. II*, Vol. XXVII, p. 1.

EXPLANATION OF PLATES.

PLATE I.

- Fig. 1. x 1000 Impure culture, 3 days old, with Pusa soil as inoculum.
 2. x 950 Azotobacter, Pusa, 24 hours old.
 3. x 1000 , , 7 days old.
 4. x 1350 , , 3 months old
 5. x 735 , , Capsules.
 6. 1980 , , Granules. Leishmann's stain.
 7. x 900 , , Flagella.
 8. x 735 Cawnpore Flagella.
 9. x 1000 , , 21 hours old.
 10. x 1000 , , 7 days old.

PLATE II.

- Fig. 1. x 625 Azotobacter, Darjeeling, 24 hours old.
 2. x 500 , 7 days old.
 3. x 1000 Bangalore, 24 hours old.
 4. x 1000 , 15 days old.
 5. x 500 Nagpur, 24 hours old.
 6. x 1000 , 7 days old.
 7. x 1000 , 7 days old. Leishmann's stain.
 8. x 1000 Sind, 24 hours old.
 9. x 1000 , 7 days old. Giemsa's stain.

PLATE III. x 5.

PLATE IV. $\times \frac{5}{2}$.

- | | | | | | | | | |
|------|----|-------------|------------|--|---|---|---|-------------|
| Fig. | 1. | Azotobacter | Darjeeling | Colonies on mannite agar plate 3 days old. | | | | |
| " | 2. | " | " | " | " | " | " | 9 days old. |
| " | 3. | " | Sind | " | " | " | " | 4 days old. |
| " | 4. | " | Nagpur | " | " | " | " | 4 days old. |

PLATE V. x 3.

Azotobacter, Cawnpore, growth on potato, three weeks old.



Fig. 1.



Fig. 2.



Fig. 3.



Fig. 4.



Fig. 5.



Fig. 6.



Fig. 7.




Fig. 8.



Fig. 9.



Fig. 1.



Fig. 2.



Fig. 3.



Fig. 4.



Fig. 5.



Fig. 6.



Fig. 7.



Fig. 8.



Fig. 9.




Fig.





Fig. 3.




Fig. 4.




Fig. 1.



Fig. 2.




Fig. 3.




Fig. 4.



PUBLICATIONS OF THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA.

TO BE HAD FROM

THE OFFICE OF THE AGRICULTURAL ADVISER TO THE GOVERNMENT OF INDIA,
PUSA, BIHAR;

and from the following Agents :—

- | | |
|---|--|
| (1) THACKER, SPINK & CO., CALCUTTA. | (6) D. B. TARaporevala SONS & CO.,
BOMBAY. |
| (2) W. NEWMAN & CO., CALCUTTA. | |
| (3) RAI BAHADUR M. C. SARKAR &
SONS, CALCUTTA. | (7) THACKER & CO., BOMBAY. |
| (4) HIGGINBOTHAMS, LTD., MADRAS. | (8) SUNDER PANDURUNG, BOMBAY. |
| (5) THOMPSON & CO., MADRAS. | (9) RAI SAHIR M. GULAB SINGH &
SONS, LAHORE. |
| | (10) MANAGER, EDUCATIONAL BOOK
DEPOT, NAGPUR. |

Annual Report of the Imperial Department of Agriculture in India for the year 1904-05.
Price, As. 12 or 1s. 2d. (*Out of print.*)

Report of the Imperial Department of Agriculture in India for the years 1905-06 and 1906-07.
Price, As. 6 or 7d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the
Imperial Cotton Specialist), for the years 1907-09. Price, As. 4 or 5d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the
Imperial Cotton Specialist), for the year 1909-10. Price, As. 4 or 5d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the
Imperial Cotton Specialist), for 1910-11. Price, As. 6 or 7d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the
Imperial Cotton Specialist), for 1911-12. Price, As. 6 or 7d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the
Imperial Cotton Specialist), for 1912-13. Price, As. 7 or 8d.

Report of the Agricultural Research Institute and College, Pusa (including the Report of the
Imperial Cotton Specialist), for 1913-14. Price, As. 8 or 9d.

Report on the Progress of Agriculture in India for the years 1907-09. Price, As. 6 or 7d.

Report on the Progress of Agriculture in India for the year 1909-10. Price, As. 6 or 7d.

Report on the Progress of Agriculture in India for the year 1910-11. Price, As. 12 or 1s. 3d.
(*Out of print.*)

Report on the Progress of Agriculture in India for the year 1911-12. Price, As. 6 or 7d.

Report on the Progress of Agriculture in India for the year 1912-13. Price, As. 8 or 9d.

Report on the Progress of Agriculture in India for the year 1913-14. Price, As. 8 or 9d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 6th January 1905 and
following days (with Appendices). Price, As. 8 or 9d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 15th January 1906 and
following days (with Appendices). Price, As. 12 or 1s. 2d.

Proceedings of the Board of Agriculture in India, held at Cawnpore on the 18th February
1907 and following days (with Appendices). Price, Re. 1-2 or 1s. 6d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 17th February 1908
and following days (with Appendices). Price, As. 8 or 9d.

Proceedings of the Board of Agriculture in India, held at Nagpur on the 15th February 1909
and following days (with Appendices). Price, As. 8 or 9d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 21st February 1910
and following days (with Appendices). Price, As. 8 or 9d.

Proceedings of the Board of Agriculture in India, held at Pusa on the 20th November 1911 and
following days (with Appendices). Price, As. 10 or 1s. (*Out of print.*)

Proceedings of the Board of Agriculture in India, held at Coimbatore on the 8th December 1913
and following days (with Appendices). Price, Re. 1-2 or 1s. 9d.

Standard Curriculum for Provincial Agricultural Colleges as recommended by the Board of
Agriculture, 1908. Price, As. 4 or 5d.

The Agricultural Journal of India.—A Quarterly Journal dealing with subjects connected with agricultural economics, field and garden crops, economic plants and fruits, soils, manures, methods of cultivation, irrigation, climatic conditions, insect pests, fungus diseases, co-operative credit, agricultural cattle, farm implements and other agricultural matters in India. Illustrations including coloured plates form a prominent feature of the Journal. It is edited by the Agricultural Adviser to the Government of India, assisted by an Advisory Committee of the Staff of the Agricultural Research Institute, Pusa. Annual subscription, Rs. 6 or Rs. 6*t.*, including postage. Single copy, Rs. 2 or 3 shillings.

MEMOIRS OF THE DEPARTMENT OF AGRICULTURE IN INDIA are issued from time to time as matter is available, in separate series such as Chemistry, Botany, Entomology and the like.

BOTANICAL SERIES.

- Vol. I, No. I. Studies in Root-Parasitism. The Haustorium of *Santalum album*.
PART I.—Early Stages, up to Penetration, by C. A. BARBER, M.A., F.L.S.
Price, Re. 1. (*Out of print.*)
- Part II.—The Structure of the Mature Haustorium and the Inter-relations between Host and Parasite, by C. A. BARBER, M.A., F.L.S. Price, Rs. 3.
(*Out of print.*)
- Vol. I, No. II. Indian Wheat Rusts, by E. J. BUTLER, M.B., F.L.S.; and J. M. HAYMAN, D.V.S. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. III. Fungus Diseases of Sugarcane in Bengal, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. IV. *Gossypium obtusifolium*, Roxburgh, by I. H. BURKILL, M.A. Price, Re. 1.
- Vol. I, No. V. An Account of the Genus *Pythium* and some *Chytridiaceæ*, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 4-8.
- Vol. I, No. VI. *Cephaeleros viscosus*, Kunze : The Red Rust of Tea, by HAROLD H. MANN, D.Sc.; and C. M. HUTCHINSON, B.A. Price, Rs. 4. (*Out of print.*)
- Vol. II, No. I. Some Diseases of Cereals caused by *Sclerotinia graminicola*, by E. J. BUTLER, M.B., F.L.S. Price, Re. 1-8.
- Vol. II, No. II. The Indian Cottons, by G. A. GAMMIE, F.L.S. Price, Rs. 7-8. (*Out of print.*)
- Vol. II, No. III. Note on a Toxic Substance excreted by the Roots of Plants, by F. FLETCHER, M.A., B.Sc. Price, Re. 1-8.
- Vol. II, No. IV. Studies in Root-Parasitism. III.—The Haustorium of *Olax scandens*, by C. A. BARBER, M.A., F.L.S. Price, Rs. 2-8.
- Vol. II, No. V. Studies in Root-Parasitism. IV.—The Haustorium of *Cansjera Rheedii*, by C. A. BARBER, M.A., F.L.S. Price, Rs. 2-8. (*Out of print.*)
- Vol. II, No. VI. Some Experiments in the Hybridizing of Indian Cottons, by P. F. FYSON, B.A., F.L.S. Price, Re. 1-8. (*Out of print.*)
- Vol. II, No. VII. The Varietal Characters of Indian Wheats, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Re. 1. (*Out of print.*)
- Vol. II, No. VIII. The Mulberry Disease caused by *Coryneum mori*, Nom., in Kashmir, with Notes on other Mulberry Diseases, by E. J. BUTLER, M.B., F.L.S. Price, Re. 1-8. (*Out of print.*)
- Vol. II, No. IX. The Wilt Disease of Pigeon-Pea and the Parasitism of *Neocosmospora vasinfecta*, Smith, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 3.
- Vol. III, No. I. Studies in Indian Tobaccos. No. I.—The Types of *Nicotiana rustica*, L., Yellow Flowered Tobacco, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 4.
- Vol. III, No. II. Studies in Indian Tobaccos. No. 2—The Types of *Nicotiana tabacum*, L., by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 9.
- Vol. III, No. III. Studies in Indian Fibre Plants. No. I.—On two varieties of Sann. *Crotalaria juncea*, L., by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Re. 1.
- Vol. III, No. IV. The Influence of the Environment on the Milling and Baking Qualities of Wheat in India. No. I.—The Experiments of 1907-08 and 1908-09, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; H. M. LEAKE, M.A., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Re. 1-8.

BOTANICAL SERIES—*contd.*

- Vol. III, No. V. The Bud-Rot of Palms in India, by E. J. BUTLER, M.B., F.L.S. Price, Rs. 2.
- Vol. III, No. VI. The Economic Significance of Natural Cross-fertilization in India, by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; GABRIELLE L. C. HOWARD, M.A.; and ABDUR RAHMAN KHAN. Price, Rs. 4-8.
- Vol. IV, No. I. The Millets of the Genus *Setaria* in the Bombay Presidency and Sind, by G. A. GAMMIE, F.L.S. Price, Re. 1.
- Vol. IV, No. II. Studies in Indian Fibre Plants. No. 2.—On Some New Varieties of *Hibiscus cannabinus*, L., and *Hibiscus Sabdariffa*, L., by ALBERT HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 3.
- Vol. IV, No. III. Notes on the Incidence and Effect of Sterility and of Cross-fertilization in the Indian Cottons, by H. M. LEAKE, M.A., F.L.S.; and RAM PRASAD. Price, Re. 1.
- Vol. IV, No. IV. The Inheritance of Red Colour and the regularity of self-fertilization in *Cochrorus capsularis*, L; the common Jute Plant, by I. H. BURKILL, M.A.; and R. S. FINLOW, B.Sc. Price, Re. 1.
- Vol. IV, No. V. Observations on Certain Extra-Indian Asiatic Cottons, by H. M. LEAKE, M.A., F.L.S.; and RAM PRASAD. Price, Re. 1-8.
- Vol. IV, No. VI. The Morphology and Parasitism of *Rhizoctonia*, by F. J. F. SHAW, B.Sc., A.R.C.S., F.L.S. Price, Rs. 2.
- Vol. V, No. I. On the Inheritance of some Characters in Wheat, I, by A. HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Re. 1.
- Vol. V, No. II. On the Influence of the Environment on the Milling and Baking Qualities of Wheat in India. No. 2.—The Experiments of 1909-10 and 1910-11, by A. HOWARD, M.A., A.R.C.S., F.L.S.; H. M. LEAKE, M.A., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, Re. 1.
- Vol. V, No. III. The Varieties of Soy Beans found in Bengal, Bihar and Orissa and their Commercial possibilities, by E. J. WOODHOUSE, M.A.; and C. S. TAYLOR, B.A. Price, Rs. 2.
- Vol. V, No. IV. On *Phytophthora parasitica* nov. spec. A new Disease of the Castor Oil Plant, by J. F. DASTUR, B.Sc. Price, Rs. 2.
- Vol. V, No. V. Studies in *Peronosporaceæ*, by E. J. BUTLER, M.B., F.L.S.; and G. S. KULKARNI, L.A.G. Price, Rs. 2.
- Vol. VI, No. I. Notes on Pollination and Cross-fertilization in the Common Rice Plant, *Oryza sativa*, Linn., by G. P. HECTOR, M.A., B.Sc. Price, Re. 1.
- Vol. VI, No. II. A Sclerotial Disease of Rice, by F. J. F. SHAW, B.Sc., A.R.C.S., F.L.S. Price, Re. 1.
- Vol. VI, No. III. Studies in Indian Tobaccos. No. 3.—The Inheritance of Characters in *Nicotiana tabacum*, L., by GABRIELLE L. C. HOWARD, M.A. Price, Rs. 3.
- Vol. VI, No. IV. Studies in Indian Cottons, Part I—The Vegetative Characters, by H. M. LEAKE, M.A., F.L.S.; and RAM PRASAD. Price, Rs. 3-8.
- Vol. VI, No. V. The Red Rot of Sugarcane, by E. J. BUTLER, M.B., F.L.S.; and A. HAFIZ KHAN. Price, Re. 1.
- Vol. VI, No. VI. Some New Sugarcane Diseases, by E. J. BUTLER, M.B., F.L.S.; and A. HAFIZ KHAN. Price, Rs. 2.
- Vol. VI, No. VII. Preliminary Note on the Classification of Rice in the Central Provinces, by R. J. D. GRAHAM, M.A., B.Sc. Price, Re. 1-8.
- Vol. VI, No. VIII. The Influence of the Environment on the Milling and Baking Qualities of Wheat in India. No. 3.—The experiments of 1911-12, by A. HOWARD, C.I.E., M.A.; H. M. LEAKE, M.A.; and G. L. C. HOWARD, M.A. Price, Re. 1 or 1s. 6d.
- Vol. VII, No. I. Studies in Indian Sugarcanes No. I, Punjab canes, by C. A. BARBER, Sc.D. Price, Rs. 3-8 or 3s. 6d.
- Vol. VII, No. II. The Distinguishing Characters of Sugarcanes cultivated at Sabour, by E. J. WOODHOUSE, M.A.; S. K. BASU, M.A.; and C. S. TAYLOR, B.A. Price, Re. 1-8 or 2s. 6d.
- Vol. VII, No. III. Potato Blight in India, by J. F. DASTER, B.Sc. Price, Re. 1 or 1s. 6d.
- Vol. VII, No. IV. The Genus *Rhizoctonia* in India, by F. J. F. SHAW, B.Sc. and S. L. AJREKAR, B.A. Price, Re. 1 or 1s. 6d.
- Vol. VII, No. V. Experiments on the Physiology of Indigo-yielding Glucosides, by F. R. PARRELL, B.A. (*In the press.*)
- Vol. VII, No. VI. Some Varieties of Indian Gram, by A. HOWARD, C.I.E., M.A.; GABRIELLE L. C. HOWARD, M.A.; and ABDUR RAHMAN KHAN. (*In the press.*)
- Vol. VII, No. VII. Studies in Indian Oil-Seeds, No. I, Safflower and Mustard, by A. HOWARD, C.I.E., M.A.; GABRIELLE L. C. HOWARD, M.A.; and ABDUR RAHMAN KHAN. (*In the press.*)

CHEMICAL SERIES.

- Vol. I, No. I. The Composition of Indian Rain and Dew, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Re. 1.
- Vol. I, No. II. The Composition of the Oil-Seeds of India, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Re. 1. (*Out of print.*)
- Vol. I, No. III. The Pot-Culture House at the Agricultural Research Institute, Pusa, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 3.
- Vol. I, No. IV. Experiments on the Availability of Phosphates and Potash in Soils, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Re. 1-8.
- Vol. I, No. V. The Construction of Drain Gauges at Pusa, by M. H. ARNOTT, M.Inst.C.E., with a Preface by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. VI. The Loss of Water from Soil during Dry Weather, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 2. (*Out of print.*)
- Vol. I, No. VII. The System Water, Calcium Carbonate, Carbonic Acid, by J. WALTER LEATHER, Ph.D., F.I.C.; and JATINDRA NATH SEN, M.A. Price, Re. 1.
- Vol. I, No. VIII. Water Requirements of Crops in India, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 3.
- Vol. I, No. IX. The Nature of the Colour of Black Cotton Soil, by H. E. ANNETT, B.Sc. (Lond.). Price, Re. 1.
- Vol. I, No. X. Water Requirements of Crops in India—II, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Rs. 2-8.
- Vol. II, No. I. The Composition of the Milk of some Breeds of Indian Cows and Buffaloes and its Variations, Part I. The milk of some breeds of Indian cows, by A. A. MEGGITT, B.Sc. (Lond.); and H. H. MANN, D.Sc. Price, Re. 1-8.
- Vol. II, No. II. Records of Drainage in India, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Re. 1.
- Vol. II, No. III. The *Rab* System of Rice Cultivation in Western India, by H. H. MANN, D.Sc.; N. V. JOSHI, B.A., B.Sc., L.A.G.; and N. V. KANITKAR, B.A. Price, Re. 1.
- Vol. II, No. IV. The Composition of the Milk of some Breeds of Indian Cows and Buffaloes and its Variations, Part II. The milk of some breeds of Indian buffaloes, by A. A. MEGGITT, B.Sc.; and H. H. MANN, D.Sc. Price, Re. 1-8.
- Vol. II, No. V. A contribution to the knowledge of the Black Cotton Soils of India, by W. H. HARRISON, M.Sc.; and M. R. RAMSWAMY SIVAN, B.A. Price, Re. 1.
- Vol. II, No. VI. The Date Sugar Industry in Bengal, an investigation into its Chemistry and Agriculture, by H. E. ANNETT, B.Sc., assisted by G. K. LELE, L.A.G.; and BHAILAL M. AMIN, B.A. Price, Rs. 3.
- Vol. III, No. I. Evaporation from a Plain Water Surface, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Re. 1.
- Vol. III, No. II. Studies in the Chemistry and Physiology of the Leaves of the Betel-vine (*Piper Betle*) and of the Commercial Bleaching of Betel-vine Leaves, by H. H. MANN, D.Sc.; D. L. SAHARABUDDHE, B.Sc., L.A.G.; and V. G. PATWARDHAN, B.A. Price, Re. 1-8.
- Vol. III, No. III. The Gases of Swamp Rice Soils. Their composition and relationship to the crop, by W. H. HARRISON, M.Sc.; and P. A. SUBRAMANIA AIYER, B.A. Price, Re. 1-8.
- Vol. III, No. IV. The Experimental Error in Sampling Sugarcane, by J. WALTER LEATHER, Ph.D., F.I.C. Price, Re. 1.
- Vol. III, No. V. The Fractional Liquefaction of Rice Starch, by F. J. WARTH, M.Sc.; and D. B. DARABSETT, B.Sc. Price, Re. 1.
- Vol. III, No. VI. The Yield and Composition of the Milk of the Montgomery herd at Pusa and Errors in Milk Tests, by J. WALTER LEATHER, Ph.D., F.I.C.; and A. C. DOBBS. Price, Re. 1 or 1s. 6d.
- Vol. III, No. VII. The System Potassium Nitrate, Sodium Chloride, Water, by J. WALTER LEATHER, Ph.D., F.I.C.; and JOTINDRA NATH MUKERJEE, B.A., B.Sc. Price, Re. 1 or 1s. 6d.

CHEMICAL SERIES—*contd.*

- Vol. III, No. VIII.** The Systems—(A) Water, Magnesium Carbonate, and Carbonic Acid, (B) Water, Calcium Carbonate, Magnesium Carbonate and Carbonic Acid, by J. WALTER LEATHER, Ph.D., F.I.C.; and JATINDRA NATH SEN, M.A. Price, Re. 1 or 1s. 6d.
- Vol. III, No. IX.** Studies of an Acid Soil in Assam, by A. A. MEGGITT, B.Sc. Price, Re. 1-8 or 2s. 6d.
- Vol. IV, No. I.** The Gases of Swamp Rice Soils, Part II. Their utilization for the Aeration of the Roots of the Crop, by W. H. HARRISON, M.Sc.; and P. A. SUBRAMANIA AIYER, B.A. Price, Re. 1 or 1s. 6d.
- Vol. IV, No. II.** Soil Temperatures, by J. WALTER LEATHER, V.D., F.I.C. Price, Rs. 2 or 3s.
- Vol. IV, No. III.** Soil Gases, by J. WALTER LEATHER, V.D., F.I.C. (*In the press.*)

ENTOMOLOGICAL SERIES.

- Vol. I, No. I.** The Bombay Locust—A Report on the investigations of 1903-04, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 2-8.
- Vol. I, No. II.** The more Important Insects injurious to Indian Agriculture, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 3. (*Out of print.*)
- Vol. I, No. III.** The Indian Surface Caterpillars of the Genus *Agrotis*, by H. M. LEFROY, M.A., F.E.S., F.Z.S.; and C. C. GHOSH, B.A. Price, Re. 1-8. (*Out of print.*)
- Vol. I, No. IV.** Individual and Seasonal Variations in *Helopeltis thivirora*, Waterhouse, with description of a new species of Helopeltis, by HAROLD H. MANN, D.Sc. Price, Re. 1-8.
- Vol. I, No. V.** The *Coccidae* attacking the Tea Plant in India and Ceylon, by E. E. GREEN, F.E.S.; and HAROLD H. MANN, D.Sc. Price, Re. 1. (*Out of print.*)
- Vol. I, No. VI.** The Mustard Sawfly, by H. M. LEFROY, M.A., F.E.S., F.Z.S.; and C. C. GHOSH, B.A. Price, Re. 1. (*Out of print.*)
- Vol. II, No. I.** The Rice Bug, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Re. 1.
- Vol. II, No. II.** Remarks on Indian Scale Insects (*Coccoidea*), Part III, by E. E. GREEN, F.E.S., F.Z.S. Price, Re. 1-8.
- Vol. II, No. III.** The Red Cotton Bug, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Re. 1. (*Out of print.*)
- Vol. II, No. IV.** The Castor Semi-Looper, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 2. (*Out of print.*)
- Vol. II, No. V.** The Tobacco Caterpillar, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Re. 1-8. (*Out of print.*)
- Vol. II, No. VI.** The Cotton Leaf-Roller, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Re. 1-8. (*Out of print.*)
- Vol. II, No. VII.** Notes on Indian Scale Insects (*Coccoidea*), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Re. 1-8. (*Out of print.*)
- Vol. II, No. VIII.** Life-Histories of Indian Insects—I. (*Coloptera*), by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 2.
- Vol. II, No. IX.** Life-Histories of Indian Insects—II. Some Aquatic *Rhynchota* and *Coleoptera*, by D. NOWROJEE, B.A. Price, Re. 1-8.
- Vol. II, No. X.** Life-Histories of Indian Insects—III. The Rhinoceros Beetle (*Oryctes rhinoceros*) and the Red or Palm Weevil (*Rhynchophorus ferrugineus*), by C. C. GHOSH, B.A. Price, Rs. 2.
- Vol. III.** The Food of Birds in India, by C. W. MASON, M.S.E.A.C., edited by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S. Price, Rs. 7-8.
- Vol. IV, No. I.** Eri Silk, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S., and C. C. GHOSH, B.A. Price, Rs. 3.
- Vol. IV, No. II.** Tetrignya (*Acriidiina*) in the Agri. Research Institute, Pusa, Bihar, with descriptions of new species, by Dr. J. L. HANCOCK, F.E.S. Price, Re. 1.
- Vol. IV, No. III.** The Big Brown Cricket (*Brachytrypes ornatissimus*, Stoll), by C. C. GHOSH, B.A. Price, Re. 1.
- Vol. IV, No. IV.** Life-Histories of Indian Insects—IV. (*Hymenoptera*), by G. R. DUTT, B.A. Price, Rs. 2.
- Vol. IV, No. V.** Inquiry into the Insecticidal Action of some Mineral and other Compounds on Caterpillars, by H. MAXWELL-LEFROY, M.A., F.E.S., F.Z.S.; and R. S. FINLOW, B.Sc. Price, Re. 1-8. (*Out of print.*)
- Vol. IV, No. VI.** The "Psylla" disease of Indigo, by A. J. GROVE, M.Sc., and C. C. GHOSH, B.A. Price, Re. 1-8 or 2s. 6d.
- Vol. V, No. I.** Life-Histories of Indian Insects—V. (*Lepidoptera*), by C. C. GHOSH, B.A. Price, Rs. 2-8 or 3s. 6d.

BACTERIOLOGICAL SERIES.

- Vol. I, No. I. Studies in Bacteriological Analysis of Indian Soils, No. 1, 1910-11, by C. M. HUTCHINSON, B.A. Price, Rs. 2-8.
Vol. I, No. II. Rangpur Tobacco Wilt, by C. M. HUTCHINSON. Price, Rs. 2.
Vol. I, No. III. A New Nitrite-forming Organism, by N. V. JOSHI, B.A., B.Sc., L.A.G. Price, Re. 1 or 1s. 6d.
Vol. I, No. IV. Azotobacter and Nitrogen Fixation in Indian Soils, by J. H. WALTON, B.A., B.Sc. Price, Re. 1 or 1s. 6d.
Vol. I, No. V. Bacterial Rot of stored Potato Tubers, by C. M. HUTCHINSON, and N. V. JOSHI, B.A., B.Sc., L.A.G. Price, Re. 1 or 1s. 6d.
Vol. I, No. VI. *Bikhar*: The Indian Rice Beer Ferment, by C. M. HUTCHINSON; and C. S. RAM AYYAR, B.A. (*In the press.*)

VETERINARY SERIES.

- Vol. I, No. I. Anaphylaxis in the larger Animals, by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, Rs. 2.
Vol. I, No. II. Salvarsan in the Treatment of Surra in Horses, Dogs and Rabbits, by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, Re. 1-4.
Vol. I, No. III. Some more Successful Experiments on the Treatment of Surra in the Camel with Recommendations for Systematic Treatment, by A. S. LEES, M.R.C.V.S. Price, Re. 1.
Vol. I, No. IV. On the Immune Bodies occurring in Anti-Rinderpest Serum and on the Variations occurring in the Serum Proteins of Animals during Rinderpest and during Immunisation and Hyper-immunisation, by F. HARTLEY, D.Sc. Price, Rs. 2.
Vol. II, No. I. Some cases of Surra treated in the Field and in the Laboratory during the autumn of 1911, by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, Re. 1.
Vol. II, No. II. Rinderpest: Further Investigations on questions connected with the Economical Production of Anti-serum, by Major J. D. E. HOLMES, M.A., D.Sc. Price, Re. 1.
Vol. II, No. III. The Curative Treatment of Hæmorrhagic Septicæmia in Cattle by the administration of Iodine and other notes on Chemotherapy in Rinderpest and Hæmorrhagic Septicæmia, by Major J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, Re. 1 or 1s. 6d.
Vol. II, No. IV. The Vitality of the Hæmorrhagic Septicæmia Organism outside the body, by Major J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, Re. 1 or 1s. 6d.
Vol. II, No. V. Bursati, by Major J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, Re. 1-8 or 2s. 3d.
Vol. II, No. VI. Experiments on the treatment of Surra in Camels, by H. E. CROSS, M.R.C.V.S., D.V.H., A.Sc. Price, Re. 1 or 1s. 6d.
Vol. II, No. VII. Anthrax—some experiments on the Immunising Effect of the simultaneous injection of an Anthrax Attenuated Virus and an Anthrax Anti-Serum, by Major J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, Re. 1 or 1s. 6d.

BULLETINS ISSUED BY THE AGRICULTURAL RESEARCH INSTITUTE, PUSA.

- No. 1. Notes on Cotton in Bihar in 1904, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, As. 4 or 6d.
No. 2. An Outbreak of Cotton Pests in the Punjab, 1905, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, As. 6 or 7d.
No. 3. The Extension of Jute Cultivation in India, by R. S. FINLOW, B.Sc. Price, As. 12 or 1s. 2d. (*Out of print.*)
No. 4. First Report on the Fruit Experiments at Pusa, by A. HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 6 or 6s.
No. 5. Report on Trials of the South African Locust Fungus in India, by E. J. BUTLER, M.B., F.L.S.; and H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, As. 2 or 3d.
No. 6. The Ticks Infesting Domesticated Animals in India, by C. WARBURTON, M.A. Price, As. 4 or 6d. (*Out of print.*)
No. 7. A Preliminary Account of the Biting Flies of India, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Price, Re. 1 or 1s. 6d. (*Out of print.*)

BULLETINS ISSUED BY THE AGRICULTURAL RESEARCH INSTITUTE,
PUSA—contd.

- No. 8. Official and Recommended Methods for use in Chemical Laboratories of the Departments of Agriculture in India, by J. WALTER LEATHER, Ph.D., F.I.C. Price, As. 4 or 6d.
- No. 9. Report on Coconut Palm Disease in Travancore, by E. J. BUTLER, M.B., F.L.S. Price, As. 6 or 6d. (*Out of print.*)
- No. 10. Treatment and Observation of Crop Pests on the Pusa Farm, by H. M. LEFROY, M.A., F.E.S., F.Z.S.; and C. S. MISRA, B.A. Price, As. 6 or 7d. (*Out of print.*)
- No. 11. On Flax Dodder, by A. HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 4 or 6d. (*Out of print.*)
- No. 12. The Making and Care of Lawns in India, by A. HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 4 or 6d. (*Out of print.*)
- No. 13. Sugarcane at the Partabgarh Experimental Station, by G. CLARKE, F.I.C.; and Khan Bahadur S. M. HADI, M.R.A.C., M.R.A.S. Price, As. 6 or 6d.
- No. 14. The Milling and Baking Qualities of Indian Wheats, No. 1, by A. HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 6d.
- No. 15. Note on the Extension of Cultivation of Fibre Plants in India. Price, As. 6 or 8d.
- No. 16. Second Report on the Fruit Experiments at Pusa by A. HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 6 or 8d.
- No. 17. The Milling and Baking Qualities of Indian Wheats, No. 2. Some new Pusa selections tested in 1909, by A. HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 6 or 8d.
- No. 18. Report on the Outbreak of Blister-Blight on Tea in the Darjeeling District in 1908-09, by W. MCRAE, M.A., B.Sc. Price, Re. 1 or 1s. 6d.
- No. 19. List of Names used in India for Common Insects, compiled in the Laboratory of the Imperial Entomologist, Pusa. Price, As. 12 or 1s. 2d.
- No. 20. Memorandum on Indian Wheat for the British Market, by Sir JAMES WILSON, K.C.S.I. Price, As. 4 or 6d.
- No. 21. Memorandum regarding Leading Eucalypts suitable for India, by F. BOOTH-TUCKER. Price, As. 4 or 5d. (*Out of print.*)
- No. 22. The Milling and Baking Qualities of Indian Wheats, No. 3. Some new Pusa Hybrids tested in 1910, by A. HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 7 or 8d.
- No. 23. Insecticides—Mixtures and Recipes for use against Insects in the Field, the Orchard, the Garden and the House, by H. M. LEFROY, M.A., F.E.S., F.Z.S. Second Edition, Revised and Enlarged by T. BAINBRIGGE FLETCHER, R.N., F.E.S., F.Z.S. Price, As. 12 or 1s. 2d.
- No. 24. The Indian Saltpetre Industry, by J. WALTER LEATHER, Ph.D., F.I.C.; and J. N. MUKERJI, B.A., B.Sc. Price, As. 8 or 9d.
- No. 25. Report on the Flax Experiments conducted at Dooriah during the year 1910-1911, by E. M. VANDEKERKHOVE. Price, As. 6 or 7d.
- No. 26. Note on the Present Position of Cotton Investigation in India, by BERNARD COVENTRY, C.I.E. Price, As. 2 or 3d.
- No. 27. Experiments on the Cultivation of Sugarcane at the Partabgarh Experimental Station, 1909-11, by G. CLARKE, F.I.C.; H. E. ANNETT, B.Sc.; and SYED ZAMIN HUSSAIN, B.A. Price, As. 5 or 6d.
- No. 28. The Cultivation of Lac in the Plains of India, by C. S. MISRA, B.A. (Second Edition.) Price, As. 8 or 9d.
- No. 29. Directions for the Cultivation of Eri Silk. (*Revised Edition.*) Price, As. 3 or 4d.
- No. 30. Report on the Flax Experiments conducted at Dooriah during the year 1911-12, by E. M. VANDEKERKHOVE. Price, As. 1-6 or 2d.
- No. 31. Wheat Experiments on the Botanical Area, Cawnpore, and their bearing on Wheat Cultivation in the United Provinces, by H. MARTIN LEAKE, M.A., F.L.S., and RAMPRASAD. Price, As. 3 or 4d.
- No. 32. A Note on some interesting results showing the internal administration of Arsenic in Canker and other diseases of the foot in Horses, by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 2 or 3d.
- No. 33. Some Aspects of the Agricultural Development of Bihar, by A. HOWARD, M.A., A.R.C.S., F.L.S. Price, As. 4 or 5d.
- No. 34. Diseases of Rice, by E. J. BUTLER, M.B., F.L.S. Price, As. 8 or 9d.
- No. 35. Report on the Flax Experiments conducted at Dooriah during the year 1912-13, by E. M. VANDEKERKHOVE. Price, As. 3 or 4d.

BULLETINS ISSUED BY THE AGRICULTURAL RESEARCH INSTITUTE,
PUSA—concl'd.

- No. 36. Note on the McFadyean Staining reaction for Anthrax bacilli, by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 4 or 5d.
- No. 37. Notes on Experiments with Sugarcane at Sabour, by C. SOMERS TAYLOR, B.A. Price, As. 2 or 3d.
- No. 38. Disintegration of Rice Grains by means of Alkali, by F. J. WARTH, M.Sc.; and D. B. DAKABETT, B.Sc. Price, As. 6 or 7d.
- No. 39. Instructions for rearing Mulberry Silkworms, by M. N. DE. Price, As. 4 or 5d.
- No. 40. Green Manuring Experiment, 1912-13, by C. M. HUTCHINSON, B.A.; and S. MILLIGAN, M.A., B.Sc. Price, As. 4 or 5d.
- No. 41. The use of Sweet Jowar (*Sorghum sp.*) as a source of commercial Sugar or as Fodder and the variation in Composition of the crop during growth, by H. E. ANNELL, B.Sc., F.I.C. Price, As. 2 or 3d.
- No. 42. Notes on Cane Crushing in the United Provinces, by G. CLARKE, F.I.C.; NAIB HUSSAIN and S. C. BANERJEE, assisted by LAKSHMI SHANKAR. Price, As. 2 or 3d.
- No. 43. A note on the effect of Heat on the Rinderpest Immune Bodies, by Major J. D. E. HOLMES, C.I.E., M.A., D.Sc., M.R.C.V.S. Price, As. 2 or 3d.
- No. 44. How to Improve Silk-Reeling in Bengal, by M. N. DE. Price, As. 4 or 5d.
- No. 45. The Acid Secretion of the Gram Plant, *Cicer arietinum*, by D. L. SAHASRABUDDHE, B.Sc., L.T.G. Price, As. 2 or 3d.
- No. 46. Bee-Keeping, by C. C. GHOSH, B.A. Price, As. 11 or 1s. 4d.
- No. 47. Notes on Sugar Machinery and Manufacture in Northern India, by PETER ABEL. Price, As. 5 or 6d.
- No. 48. First Report on the Experiments carried out at Pusa to improve the Mulberry Silk Industry, compiled under the direction of the Imperial Entomologist, by M. N. DE. Price, As. 6 or 7d.
- No. 49. The Experimental Error in Field trials with Sugarcane and the effect on this error of various methods of sampling, by H. E. ANNELL, B.Sc., F.I.C. Price, As. 3 or 4d.
- No. 50. The Improvement of Tobacco Cultivation in Bihar, by A. HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 5d.
- No. 51. First Report on the Improvement of Indigo in Bihar, by A. HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 4 or 5d.
- No. 52. Soil Ventilation, by A. HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 3 or 4d.
- No. 53. Soil Erosion and Surface Drainage, by A. HOWARD, C.I.E., M.A. (*In the press.*)
- No. 54. Second Report on the Improvement of Indigo in Bihar, by A. HOWARD, C.I.E., M.A.; and GABRIELLE L. C. HOWARD, M.A. Price, As. 2 or 3d.
- No. 55. The Manufacture of Jaggery in South India, by A. CHATTERTON, C.I.E. (*In the press.*)
- No. 56. Green Manuring in India, by A. C. DOBBS. (*In the press.*)

BOOKS.

- 'Indian Insect Pests,' by H. M. LEFRoy, M.A., F.R.S., F.Z.S. Price, Re. 1.8. (*Out of print.*)
- 'Indian Insect Life,' by H. M. LEFRoy, M.A., F.R.S., F.Z.S.; and F. M. HOWLETT, B.A. 786 pp. Price, Rs. 20 or 30s.
- 'Wheat in India,' by A. HOWARD, M.A., A.R.C.S., F.L.S.; and GABRIELLE L. C. HOWARD, M.A. 288 pp. Price, Rs. 5 or 7s. 6d.
- 'A description of the Imperial Bacteriological Laboratory, Muktesar : Its Work and Products,' by Major J. D. E. HOLMES, M.A., D.Sc., M.R.C.V.S. Price, As. 8 or 9d.

August 1915.

BACTERIOLOGICAL SERIES.

Vol. I, No. 5

MEMOIRS OF THE DEPARTMENT OF AGRICULTURE IN INDIA

BACTERIAL ROT OF STORED POTATO TUBERS

BY

C. M. HUTCHINSON

Imperial Agricultural Bacteriologist

AND

N. V. JOSHI, B.A., B.Sc., L.Ag

First Assistant to the Imperial Agricultural Bacteriologist



AGRICULTURAL RESEARCH INSTITUTE, PUSA

PRINTED AND PUBLISHED FOR
THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA

BY

THACKER, SPINK & CO., CALCUTTA

W. THACKER & CO., 2, CREED LANE, LONDON